


# MODEL RANGE

FMX D13 6x4 Rigid Diesel Rear Leaf FMX 64R 3L



## Chassis Dimensions [mm]

| WB Wheelbase                           | 3200 | 3400 | 3700 | 3900 | 4300 | 4600  | 4900  | 5200  | 5600  |
|----------------------------------------|------|------|------|------|------|-------|-------|-------|-------|
| A Overall Chassis Length               | 7865 | 8165 | 8615 | 8915 | 9565 | 10715 | 10465 | 10965 | 11565 |
| D Center of rear axle to front of body | 2635 | 2835 | 3135 | 3335 | 3735 | 4035  | 4335  | 4635  | 5035  |
| N Rear Overhang (Min.)                 | 825  | 825  | 825  | 825  | 825  | 825   | 825   | 1225  | 1225  |
| N Rear Overhang (Max.)                 | 1775 | 1875 | 2025 | 2125 | 2375 | 3225  | 2675  | 2875  | 3075  |
| T Theoretical Wheelbase                | 3885 | 4085 | 4385 | 4585 | 4985 | 5285  | 5585  | 5885  | 6285  |
| Y Center of Gravity for Payload (Min.) | 189  | 234  | 300  | 345  | 433  | 508   | 564   | 631   | 717   |
| Y Center of Gravity for Payload (Max.) | 189  | 234  | 300  | 345  | 433  | 508   | 564   | 631   | 717   |
| W Body Length (Min.)                   | 4894 | 5205 | 5672 | 5983 | 6606 | 7057  | 7544  | 8011  | 8639  |
| W Body Length (Max.)                   | 4894 | 5205 | 5672 | 5983 | 6606 | 7057  | 7544  | 8011  | 8639  |

## Chassis Weights [kg]

|                                              |       |       |       |       |       |       |       |       |       |
|----------------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Front Axle                                   | 4965  | 4975  | 4990  | 4995  | 5020  | 5015  | 5060  | 5070  | 5095  |
| Rear Bogie                                   | 3630  | 3650  | 3680  | 3695  | 3760  | 3870  | 3825  | 3855  | 3900  |
| Kerb Weight                                  | 8595  | 8625  | 8670  | 8690  | 8780  | 8885  | 8885  | 8925  | 8995  |
| Payload (including body, driver, fuel, etc.) | 22405 | 22375 | 22330 | 22310 | 22220 | 22115 | 22115 | 22075 | 22005 |

## Turning Diameter [mm]

|                                      |       |       |       |       |       |       |       |       |       |
|--------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Turning Circle Diameter Kerb to Kerb | 13900 | 14500 | 15500 | 16100 | 17300 | 18200 | 19100 | 20000 | 21300 |
| Turning Circle Diameter Wall to Wall | 15400 | 16000 | 16900 | 17600 | 18800 | 19700 | 20600 | 21500 | 22800 |

## Plated Weights [kg]

|                          |       |
|--------------------------|-------|
| Gross Vehicle Weight     | 31000 |
| Gross Combination Weight | 44000 |
| Front Axle               | 10000 |
| Rear Bogie               | 21000 |

## Design

|       |
|-------|
| 31000 |
| 44000 |
| 10000 |
| 21000 |

## Important Notes

### Chassis Dimensions

Cab Height: +328 mm for CAB-HSLP, -262 mm for CAB-LDAY, -262 mm for CAB-LSLP, +16 mm for CAB-SLP.  
 Front Axle to Back of Cab: +431 mm for CAB-HSLP and CAB-SLP, -69 mm for CAB-LDAY, +425 mm for CAB-LSLP.  
 D-measure includes a front clearance of 50 mm and for rigid trucks also a subframe of 100 mm.  
 Height can vary  $\pm 20$  mm for leaf and  $\pm 10$  mm for air suspension.  
 All dimensions are for unladen chassis and any tag axles down. Chassis height used: CHH-HIGH.  
 Rear overhang used for vehicle weight calculation is the maximum rear overhang (N Max.) for selected wheelbase.

Weight and dimensions are based upon the following tyres:  
 Front Axle Tyres: 315/80R22.5  
 Drive Axle Tyres: 315/80R22.5

**Chassis weight includes oil, water, AdBlue, 0 litres fuel and without driver. Kerb weight can vary  $\pm 3\%$ .**

Turning diameters are theoretically calculated.

Legal weights can differ from country to country.

For more detailed weight information, including optional equipment weights, ask your Volvo sales contact to enter your specification into the Volvo Weight Information system (WIS).

Do NOT use this drawing for bodybuilding. Refer to Volvo Bodybuilder Instructions and chassis assembly drawing FMX64R3L.

# MODEL RANGE

## FMX D13 6x4 Rigid Diesel Rear Leaf FMX 64R 3L

### Transport operation

- **RC-ROUGH** Rough road conditions: frequent driving on poorly maintained surfaced roads, hard-packed sand or gravel, or other surfaces of good or bad quality.
- **RC-VROUG** Very rough road conditions: more than 5% of the driven distance is on extremely poor roads or off-road.
- **GARB-PRE** Refuse vehicle preparation
- **TIPP-PRE** Tipper vehicle preparation
- **UNIFORM** Basic platform vehicle

### Core components

- **CHH-HIGH** Chassis height high - approx. 1000 mm above ground level
- **CHH-XHIG** Chassis height extra high - approx. 1030 mm above ground level
- **RADD-BR** Rear leaf suspension - two axles, both driving (B-ride)
- **RADD-TR1** Rear leaf suspension - two axles, both driving (max. technical bogie load 26 tonnes)
- **RADD-TR2** Rear leaf suspension - two axles, both driving (max. technical bogie load 32 tonnes)
- **CDCOPREP** Preparation kit for day cab cut-out (free text CA needed)
- **FMX-CREW** FMX crew cab (free-text CA needed)
- **FMX-DAY6** FMX day cab
- **FMX-HSL6** FMX Globetrotter, high sleeper cab
- **FMX-LDA6** FMX low day cab
- **FMX-LSL6** FMX low sleeper cab
- **FMX-SLP6** FMX sleeper cab
- **EU5EEV** Euro 5, Enhanced Environmentally Friendly Vehicle (EEV)
- **EU5SCR-M** Euro 5 with Selective Catalytic Reduction (SCR)
- **EU6SCR** Euro 6 with SCR, particulate filter and EGR, Turbo-S
- **D13S420A** Diesel engine, Euro 6, 12.8 litres, 420 hp/309 kW, 2100 Nm
- **D13S460A** Diesel engine, Euro 6, 12.8 litres, 460 hp/338 kW, 2300 Nm
- **D13S500A** Diesel engine, Euro 6, 12.8 litres, 500 hp/368 kW, 2500 Nm
- **D13S540A** Diesel engine, Euro 6, 12.8 litres, 540 hp/397 kW, 2600 Nm
- **D13A380** Diesel engine, Euro 4, 12.8 litres, 380 hp/280 kW, 1900 Nm
- **D13A400** Diesel engine, Euro 3, 12.8 litres, 400 hp/294 kW, 2000 Nm
- **D13A420** Diesel engine, Euro 4, 12.8 litres, 420 hp/309 kW, 2100 Nm
- **D13A440** Diesel engine, Euro 3, 12.8 litres, 440 hp/324 kW, 2200 Nm
- **D13A460** Diesel engine, Euro 4, 12.8 litres, 460 hp/338 kW, 2300 Nm
- **D13A480** Diesel engine, Euro 3, 12.8 litres, 480 hp/353 kW, 2400 Nm
- **D13A500** Diesel engine, Euro 4, 12.8 litres, 500 hp/368 kW, 2500 Nm
- **D13A520** Diesel engine, Euro 3, 12.8 litres, 520 hp/382 kW, 2500 Nm
- **D13C460** Diesel engine, Euro 5, 12.8 litres, 460 hp/338 kW, 2300 Nm
- **D13C500** Diesel engine, Euro 5, 12.8 litres, 500 hp/368 kW, 2500 Nm
- **D13C540** Diesel engine, Euro 5, 12.8 litres, 540 hp/397 kW, 2600 Nm
- **D13K460** Diesel engine, Euro 6, 12.8 litres, 460 hp/338 kW
- **D13K500** Diesel engine, Euro 6, 12.8 litres, 500 hp/368 kW
- **D13K540** Diesel engine, Euro 6, 12.8 litres, 540 hp/397 kW
- **EBR-EPG** Engine brake with exhaust pressure governor
- **EBR-EPGC** Exhaust pressure governor with Volvo compression brake
- **EBR-VEB** Volvo Engine Brake, VEB (compression brake with exhaust pressure governor, EPG)
- **EBR-VEB+** Volvo Engine Brake, VEB+ (high efficiency compression brake with exhaust pressure governor, EPG)
- **AT2412** I-Shift automated 12-speed gearbox, 2400 Nm
- **AT2612** I-Shift automated 12-speed gearbox, 2600 Nm
- **AT2812** I-Shift automated 12-speed gearbox, 2800 Nm
- **ATO2612** I-Shift automated 12-speed gearbox with overdrive, 2600 Nm
- **ATO3112** I-Shift automated 12-speed gearbox with overdrive, 3100 Nm
- **PT2606** Powertronic 6-speed powershift gearbox, 2600 Nm
- **SPO2812** Dual-clutch 12-speed semi-powershift gearbox with overdrive, 2800 Nm
- **ASO-C** One crawler gear
- **ASO-ULC** Two crawler gears, one crawler and one ultra-low crawler
- **RTH2610B** Rear hub reduction tandem axle - bogie load 26 tonnes, GCW 100 tonnes, 4 planet gears
- **RTH2610F** Rear hub reduction tandem axle - bogie load 26 tonnes, GCW 100 tonnes, version F
- **RTH3210F** Rear hub reduction tandem axle - bogie load 32 tonnes, GCW 100 tonnes, version F

- **RTH3212F** Rear hub reduction tandem axle - bogie load 32 tonnes, GCW 120 tonnes, version F
- **RTH3312** Rear hub reduction tandem axle - bogie load 33 tonnes, GCW 120 tonnes
- **RTH3815** Rear hub reduction tandem axle - bogie load 38 tonnes, GCW 150 tonnes
- **RTS2310A** Rear single reduction tandem axles - bogie load 23 tonnes, GCW 100 tonnes
- **RTS2370A** Rear single reduction tandem axle - bogie load 23 tonnes, GCW 70 tonnes
- **PTO-HT16** High-torque power take-off 1600 Nm (free-text CA needed)
- **PTO-HT20** High-torque power take-off 2000 Nm (free-text CA needed)

### Packages

- **FP-D13** Fuel economy package for Euro 6 D13 engine
- **INFOBASE** Information package, basic (without side display)
- **INFOHIGH** Information package, high (with side display)
- **CHASPAC** Rigid chassis package

### Chassis

- **FST-PAR** Two-leaf front parabolic springs (normal stiffness)
- **FST-PAR3** Three-leaf front parabolic springs (stiffer than normal)
- **FST-PAR5** Four-leaf front parabolic springs (extra stiff)
- **FAL10.0** Front axle load 10.0 tonnes
- **FAL7.1** Front axle load 7.1 tonnes
- **FAL8.0** Front axle load 8.0 tonnes
- **FAL8.5** Front axle load 8.5 tonnes
- **FAL9.0** Front axle load 9.0 tonnes
- **FSTAB** Front anti-roll bar, normal stiffness
- **FSTAB2** Front anti-roll bar, high stiffness
- **FSTAB3** Front anti-roll bar, extra-high stiffness
- **RAL21** Rear axles load 21 tonnes
- **RAL23** Rear axles load 23 tonnes
- **RAL26** Rear axles load 26 tonnes
- **RSTAB1** Rear anti-roll bar, normal stiffness
- **ACTST-TO** Volvo Dynamic Steering
- **ASFE-BAS** Volvo Dynamic Steering, basic
- **ASFE-PS** Volvo Dynamic Steering with Personal Settings
- **PSP-FIX** Power steering pump with fixed displacement
- **PSP-VAR** Power steering pump with variable displacement
- **PSP-VAR2** Power steering pump with variable displacement (extra valve)
- **EBS-MED** EBS (Electronic Braking System), Medium package
- **EBS-STD** EBS (Electronic Braking System), Standard package
- **AUXPARK** Extra parking brake on one axle
- **RST-PAR1** Rear parabolic leaf springs
- **RST-PAR5** Rear parabolic leaf springs
- **FST7070** Frame thickness - web 7.0 mm / flange 7.0 mm
- **FST8080** Frame thickness - web 8.0 mm / flange 8.0 mm
- **FIL-EEEB** Frame inner liner from end of engine to end of bogie
- **FIL-EEEF** Frame inner liner from end of engine to end of frame
- **FIL-FBEB** Frame inner liner from front of bogie to end of bogie
- **FIL-TXEB** Frame inner liner from transmission cross member to end of bogie
- **FIL-TXEF** Frame inner liner from transmission cross member to end of frame
- **BBOX-L** Battery box on left-hand side
- **BATS-S** Single battery system (2 batteries)
- **2BATT170** Batteries, 2x170 Ah
- **2BATT225** Batteries, 2x225 Ah
- **BATTAMP** Battery voltmeter and ammeter
- **BATTIND** Battery voltmeter, ammeter and battery status gauge with visual alerts
- **ADR1** ADR adaptation, 1 switch in dashboard

■ Standard Equipment

□ Optional Equipment

For more detailed information about cab and powertrain equipment, please refer to separate specification sheets.

For all possible options and combinations of options please consult your Volvo sales contact who can create a specification to match your requirements using the Volvo Sales Support system (VSS).

The factory reserves the right to modify design and change equipment without previous notification. The specification can vary from country to country.

# MODEL RANGE

## FMX D13 6x4 Rigid Diesel Rear Leaf FMX 64R 3L

|                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <input type="checkbox"/> <b>ADR2</b>                | ADR adaptation, 1 switch in dashboard, 1 outside on back of cab                                                                                                                                                                                                                                                                                                                                                                       |  |
| <input type="checkbox"/> <b>MSWI-A</b>              | ADR main switch                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
| <input type="checkbox"/> <b>MSWI-C</b>              | Main switch on chassis                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| <input checked="" type="checkbox"/> <b>MSWI-R</b>   | Key remote controlled main switch                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| <input checked="" type="checkbox"/> <b>R350A56</b>  | Right 350-litre, D-shaped aluminium fuel tank, 560 mm high<br>Min volume 255l<br>Max volume 650l                                                                                                                                                                                                                                                                                                                                      |  |
| <input checked="" type="checkbox"/> <b>UL-FUEL</b>  | Without left side fuel tank<br>Min volume 160l<br>Max volume 330l                                                                                                                                                                                                                                                                                                                                                                     |  |
| <input type="checkbox"/> <b>ADTP-L</b>              | AdBlue tank on left hand side                                                                                                                                                                                                                                                                                                                                                                                                         |  |
| <input checked="" type="checkbox"/> <b>ADTP-R</b>   | AdBlue tank on right hand side                                                                                                                                                                                                                                                                                                                                                                                                        |  |
| <input checked="" type="checkbox"/> <b>ADB048</b>   | AdBlue tank: usable volume 48 litres, 560 mm high, mounted on chassis side                                                                                                                                                                                                                                                                                                                                                            |  |
| <input type="checkbox"/> <b>ADB064</b>              | AdBlue tank: usable volume 64 litres, 710 mm high, mounted on chassis side                                                                                                                                                                                                                                                                                                                                                            |  |
| <input type="checkbox"/> <b>ADB068</b>              | AdBlue tank: usable volume 68 litres, 560 mm high, mounted on chassis side                                                                                                                                                                                                                                                                                                                                                            |  |
| <input type="checkbox"/> <b>ADB083</b>              | AdBlue tank: usable volume 83 litres, 560 mm high, mounted on chassis side                                                                                                                                                                                                                                                                                                                                                            |  |
| <input type="checkbox"/> <b>ADB090</b>              | AdBlue tank: usable volume 90 litres, 710 mm high, mounted on chassis side                                                                                                                                                                                                                                                                                                                                                            |  |
| <input type="checkbox"/> <b>ADB112</b>              | AdBlue tank: usable volume 112 litres, 710 mm high, mounted on chassis side                                                                                                                                                                                                                                                                                                                                                           |  |
| <input checked="" type="checkbox"/> <b>FCAP-L</b>   | Lockable diesel and AdBlue filler caps                                                                                                                                                                                                                                                                                                                                                                                                |  |
| <input checked="" type="checkbox"/> <b>FUFF-AS</b>  | Fuel filling anti-spillage device                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| <input type="checkbox"/> <b>FUFF-ATS</b>            | Fuel filling anti-theft and anti-spillage device                                                                                                                                                                                                                                                                                                                                                                                      |  |
| <input checked="" type="checkbox"/> <b>ESH-LEFT</b> | Horizontal silencer, left exhaust outlet                                                                                                                                                                                                                                                                                                                                                                                              |  |
| <input checked="" type="checkbox"/> <b>ESH-REAR</b> | Horizontal silencer, rear exhaust outlet                                                                                                                                                                                                                                                                                                                                                                                              |  |
| <input type="checkbox"/> <b>ESV-VERT</b>            | Vertical silencer, vertical exhaust outlet on right-hand side                                                                                                                                                                                                                                                                                                                                                                         |  |
| <input type="checkbox"/> <b>EXST-SSP</b>            | Vertical exhaust top pipe, bright polished stainless steel                                                                                                                                                                                                                                                                                                                                                                            |  |
| <input type="checkbox"/> <b>EXST-ST</b>             | Vertical exhaust top pipe, aluminised steel                                                                                                                                                                                                                                                                                                                                                                                           |  |
| <input type="checkbox"/> <b>HS-NAR</b>              | Muffler heat shield (EATS), narrow                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| <input type="checkbox"/> <b>WHC-FIX2</b>            | Two non-collapsible wheel chocks                                                                                                                                                                                                                                                                                                                                                                                                      |  |
| <input checked="" type="checkbox"/> <b>WHC-FOL2</b> | Two collapsible wheel chocks                                                                                                                                                                                                                                                                                                                                                                                                          |  |
| <input checked="" type="checkbox"/> <b>WHCP-F</b>   | Wheel chock holder in the front part of the vehicle                                                                                                                                                                                                                                                                                                                                                                                   |  |
| <input type="checkbox"/> <b>WHCP-M</b>              | Wheel chock holder in the middle part of the vehicle                                                                                                                                                                                                                                                                                                                                                                                  |  |
| <input type="checkbox"/> <b>WHCP-R</b>              | Wheel chock holder in the rear part of the vehicle                                                                                                                                                                                                                                                                                                                                                                                    |  |
| <input type="checkbox"/> <b>WHCP-T</b>              | Wheel chock holder by-packed in cab outer luggage compartment                                                                                                                                                                                                                                                                                                                                                                         |  |
| <input type="checkbox"/> <b>TB-L80</b>              | Tool box on left-hand side, 205-litre - width 730 mm, height 590, depth 595 mm                                                                                                                                                                                                                                                                                                                                                        |  |
| <input type="checkbox"/> <b>TB-R80</b>              | Tool box on right-hand side, 205-litre - width 730 mm, height 590, depth 595 mm                                                                                                                                                                                                                                                                                                                                                       |  |
| <input type="checkbox"/> <b>SUP-BAS</b>             | Standard side underrun protection, aluminium                                                                                                                                                                                                                                                                                                                                                                                          |  |
| <input checked="" type="checkbox"/> <b>SUP-LOW</b>  | Low side underrun protection, aluminium                                                                                                                                                                                                                                                                                                                                                                                               |  |
| <input type="checkbox"/> <b>CHAIN-S</b>             | Snow chains                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| <input type="checkbox"/> <b>HOOK-SC</b>             | Snow chain hooks                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
| <input type="checkbox"/> <b>TOWMBRL1</b>            | Towing member, low-mounted under frame                                                                                                                                                                                                                                                                                                                                                                                                |  |
| <input type="checkbox"/> <b>TOWMBRM</b>             | Towing member, medium-mounted in line with lower frame flange                                                                                                                                                                                                                                                                                                                                                                         |  |
| <input type="checkbox"/> <b>RFEC-L</b>              | Tapered lower rear frame end (for centre axle drawbar)                                                                                                                                                                                                                                                                                                                                                                                |  |
| <input checked="" type="checkbox"/> <b>RFEC-S</b>   | Straight-cut rear frame end                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| <input type="checkbox"/> <b>RFEC-U</b>              | Upper corner cut on rear frame end (for e.g. tipper, refuse and hook lift applications)                                                                                                                                                                                                                                                                                                                                               |  |
| <input type="checkbox"/> <b>C-RI4040</b>            | Coupling Ringfeder 4040A G-150                                                                                                                                                                                                                                                                                                                                                                                                        |  |
| <input type="checkbox"/> <b>C-RI4045</b>            | Coupling Ringfeder 4045A G-150                                                                                                                                                                                                                                                                                                                                                                                                        |  |
| <input type="checkbox"/> <b>C-RI5050</b>            | Coupling Ringfeder 5050A G-150                                                                                                                                                                                                                                                                                                                                                                                                        |  |
| <input type="checkbox"/> <b>C-RO50</b>              | Coupling Rockinger 50 mm                                                                                                                                                                                                                                                                                                                                                                                                              |  |
| <input type="checkbox"/> <b>C-VBG520</b>            | Coupling VBG 5200D                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| <input type="checkbox"/> <b>C-VBG795</b>            | Coupling VBG 795V                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| <input type="checkbox"/> <b>TOWR-ONE</b>            | Brace that can be used for towing in specific situations. The brace is mounted on the end cross member, and if the end cross member is thinner than 8 mm, it will be reinforced. The brace includes a lockable pin and is dimensioned for a 3-tonne centre-axle trailer or a 10-tonne articulated drawbar trailer. It may only be used for short-distance, on-site transport in confined areas and at speeds of a maximum of 30 km/h. |  |
| <input type="checkbox"/> <b>TREL-PK</b>             | Trailer electrical preparation kit (chassis/cab wiring)                                                                                                                                                                                                                                                                                                                                                                               |  |
| <input type="checkbox"/> <b>TREL14</b>              | 14-pin trailer connection                                                                                                                                                                                                                                                                                                                                                                                                             |  |
| <input type="checkbox"/> <b>TREL15</b>              | 15-pin trailer connection (ADR certified)                                                                                                                                                                                                                                                                                                                                                                                             |  |
| <input type="checkbox"/> <b>TREL7</b>               | 7-pin trailer connection (ISO 24N)                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| <input type="checkbox"/> <b>TREL7-7</b>             | 2x7-pin trailer connection (ISO 24N+24S, non-ADR)                                                                                                                                                                                                                                                                                                                                                                                     |  |
| <input type="checkbox"/> <b>TBC-EC</b>              | Trailer brake connection, European Community                                                                                                                                                                                                                                                                                                                                                                                          |  |
| <input type="checkbox"/> <b>TRBR-HCR</b>            | Reduced-pressure, hand-controlled trailer brake check (4 bar)                                                                                                                                                                                                                                                                                                                                                                         |  |
| <input type="checkbox"/> <b>TRBR-STA</b>            | Stationary trailer brake check                                                                                                                                                                                                                                                                                                                                                                                                        |  |
| <input type="checkbox"/> <b>TRB-STRE</b>            | Stretch brake, trailer brake activation at low speeds to avoid jack-knifing and improve stability                                                                                                                                                                                                                                                                                                                                     |  |
| <input type="checkbox"/> <b>RUP-FOLD</b>            | Foldable and slidable aluminium rear underrun protection, not UN/ECE R58.03 compliant                                                                                                                                                                                                                                                                                                                                                 |  |
| <input type="checkbox"/> <b>RUP-FOSL</b>            |                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
| <input type="checkbox"/> <b>RFEND-B</b>             | Rear 3-piece mudguards (anti-spray) on all rear axles                                                                                                                                                                                                                                                                                                                                                                                 |  |
| <input type="checkbox"/> <b>RFH-BAS</b>             | Basic mudguard installation height on 2nd front axle and rear axles                                                                                                                                                                                                                                                                                                                                                                   |  |
| <input type="checkbox"/> <b>RFH-HIG</b>             | High mudguard installation height on 2nd front axle and rear axles                                                                                                                                                                                                                                                                                                                                                                    |  |
| <input type="checkbox"/> <b>RFH-LOW</b>             | Low mudguard installation height on 2nd front axle and rear axles                                                                                                                                                                                                                                                                                                                                                                     |  |
| <input type="checkbox"/> <b>ATANK-AL</b>            | Aluminium air tanks                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| <input checked="" type="checkbox"/> <b>ATANK-ST</b> | Steel air tanks                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
| <input type="checkbox"/> <b>TL-LED</b>              | LED tail lamps (tail light, exterior marker light, brake light, hazard warning light, reverse light, rear fog light, licence plate light and reflector)                                                                                                                                                                                                                                                                               |  |
| <input checked="" type="checkbox"/> <b>BLIGHT-E</b> | Flashing brake lights will automatically activate in emergency braking. The flashing frequency is 4 Hz and emergency braking is detected if speed exceeds 50 km/h and retardation is 4 m/s <sup>2</sup> or more. The function deactivates when retardation is less than 2.5 m/s <sup>2</sup> .                                                                                                                                        |  |

### Rims and tyres

|                                                     |                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> <b>RT-AL</b>               | Brushed aluminium rims with standard holes (long stud fixing) on all axles                                                                                                                                                                                                                         |
| <input type="checkbox"/> <b>RT-AL1</b>              | LvL ONE® smooth and glossy aluminium rims with standard holes (long stud fixing) on all axles                                                                                                                                                                                                      |
| <input type="checkbox"/> <b>RT-AL1DU</b>            | LvL ONE® smooth and glossy aluminium rims with countersunk holes (short stud fixing) on all axles                                                                                                                                                                                                  |
| <input type="checkbox"/> <b>RT-ALDP</b>             | Dura-Bright® polished aluminium rims with standard holes (long stud fixing) on all axles                                                                                                                                                                                                           |
| <input type="checkbox"/> <b>RT-ALDPD</b>            | Dura-Bright® polished aluminium rims with countersunk holes (short stud fixing) on all axles                                                                                                                                                                                                       |
| <input type="checkbox"/> <b>RT-ALDU</b>             | Brushed aluminium rims with countersunk holes (short stud fixing) on all axles                                                                                                                                                                                                                     |
| <input checked="" type="checkbox"/> <b>RT-STEEL</b> | Steel rims on all axles                                                                                                                                                                                                                                                                            |
| <input type="checkbox"/> <b>WCAP</b>                | Wheel caps                                                                                                                                                                                                                                                                                         |
| <input type="checkbox"/> <b>SPWT-D</b>              | Spare driving wheel                                                                                                                                                                                                                                                                                |
| <input type="checkbox"/> <b>SPWT-F</b>              | Spare front wheel                                                                                                                                                                                                                                                                                  |
| <input type="checkbox"/> <b>SWCP-T</b>              | Spare wheel transport-mounted on top of frame                                                                                                                                                                                                                                                      |
| <input type="checkbox"/> <b>SWCP-TF</b>             | Spare wheel and carrier transport-mounted on top of frame                                                                                                                                                                                                                                          |
| <input type="checkbox"/> <b>JACK-12T</b>            | Hydraulic jack, 12 tonnes. Low manual pumping force facilitates use in uncomfortable positions. Has a release valve, which permits safe, easy and precise control over rate of lowering and a filter in the oil reservoir gives protection from contamination.<br>Height 180-315 mm, weight 7.0 kg |
| <input type="checkbox"/> <b>JACK-15T</b>            | Hydraulic jack, 15 tonnes. Low manual pumping force facilitates use in uncomfortable positions. Has a release valve, which permits safe, easy and precise control over rate of lowering and a filter in the oil reservoir gives protection from contamination.<br>Height 225-438 mm, weight 9.4 kg |

☒ Standard Equipment

☐ Optional Equipment

For more detailed information about cab and powertrain equipment, please refer to separate specification sheets.

For all possible options and combinations of options please consult your Volvo sales contact who can create a specification to match your requirements using the Volvo Sales Support system (VSS).

The factory reserves the right to modify design and change equipment without previous notification. The specification can vary from country to country.

# MODEL RANGE

## FMX D13 6x4 Rigid Diesel Rear Leaf FMX 64R 3L

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>□ <b>JACK-20T</b> Hydraulic jack, 20 tonnes. Low manual pumping force facilitates use in uncomfortable positions. Has a release valve, which permits safe, easy and precise control over rate of lowering and a filter in the oil reservoir gives protection from contamination.<br/>For FM: Height 190-325 mm, weight 10.5 kg<br/>For FH: height 240-467 mm, weight 13.3. kg</li> <li>■ <b>TOOLKIT</b> This kit consists of a tool bag (case) including the following tools: <ul style="list-style-type: none"> <li>• Combination screwdriver.</li> <li>– 1 screwdriver handle</li> <li>– 1 blade, Philips/flat blade</li> <li>– 1 blade, Torx T10/Torx T20</li> <li>– 1 blade, Torx T25/Torx T27</li> <li>– 1 blade, Torx T30/Torx T40</li> <li>• Socket wrench.</li> <li>• Adjustable pliers.</li> <li>• Allen key.</li> <li>• Adjustable spanner.</li> <li>• Hammer.</li> </ul> </li> <li>□ <b>INFLAHOS</b> Tyre inflation hose 18 m. The air is supplied by a chassis-mounted pneumatic outlet (must be ordered separately).</li> <li>□ <b>GAUGE-TP</b> Tyre pressure gauge</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>□ <b>AF-E</b> Electrically heated fuel filter</li> <li>■ <b>AF-R</b> Hot fuel recirculation heated fuel filter</li> <li>■ <b>FUEFE2LW</b> Large engine-mounted dual fuel filter with water separator and drain</li> <li>□ <b>FUEFE2SW</b> Small engine-mounted dual fuel filter with water separator and drain (for good fuel quality)</li> <li>■ <b>EST-AID</b> Engine intake air heater</li> <li>□ <b>220EBH15</b> Engine block heater, 220 V, 1.5 kW</li> <li>□ <b>PTER-100</b> Rear engine, clutch-independent PTO, flange connection, DIN 100/ISO 7646</li> <li>□ <b>PTER-DIN</b> Rear engine, clutch-ind. PTO, splined shaft groove (fem), close-coupled pump DIN 5462/ISO7653</li> <li>□ <b>HPE-F101</b> Engine-mounted hydraulic pump F1-101, fixed displacement, single flow</li> <li>□ <b>HPE-F41</b> Engine-mounted hydraulic pump F1-41, fixed displacement, single flow</li> <li>□ <b>HPE-F51</b> Engine-mounted hydraulic pump F1-51, fixed displacement, single flow</li> <li>□ <b>HPE-F61</b> Engine-mounted hydraulic pump F1-61, fixed displacement, single flow</li> <li>□ <b>HPE-F81</b> Engine-mounted hydraulic pump F1-81, fixed displacement, single flow</li> <li>□ <b>HPE-T53</b> Engine-mounted hydraulic pump F2-53/53, fixed displacement, twin flow</li> <li>□ <b>HPE-T70</b> Engine-mounted hydraulic pump F2-70/35, fixed displacement, twin flow</li> <li>□ <b>HPE-V45</b> Engine-mounted hydraulic pump VP1-45, variable displacement, single flow</li> <li>□ <b>HPE-V75</b> Engine-mounted hydraulic pump VP1-75, variable displacement, single flow</li> <li>□ <b>PTPT-D</b> Gearbox PTO, 1 front/upper connection DIN 5462/ISO 7653 for plug-in pump, 850 Nm</li> <li>□ <b>PTPT-F</b> Gearbox PTO, 1 front/upper rear flange connection SAE 1410/ISO 7647 for propshaft, 850 Nm</li> <li>□ <b>PTR-D</b> Gearbox low-speed PTO, 1 rear connection DIN 5462/ISO 7653 for plug-in pump, 1000 Nm</li> <li>□ <b>PTR-DH</b> Gearbox high-speed PTO, 1 rear connection DIN 5462/ISO 7653 for plug-in pump, 600 Nm</li> <li>□ <b>PTR-DM</b> Gearbox medium-speed PTO, 1 rear connection DIN 5462/ISO 7653 for plug-in pump, 600 Nm</li> <li>□ <b>PTR-F</b> Gearbox low-speed PTO, 1 rear flange connection SAE 1410/ISO 7647 for propshaft, 1000 Nm</li> <li>□ <b>PTR-FH</b> Gearbox high-speed PTO, 1 rear flange connection SAE 1310/ISO 7647 for propshaft, 600 Nm</li> <li>□ <b>PTR-FL</b> Gearbox low-speed PTO, 1 rear flange connection SAE 1310/ISO 7647 for propshaft, 600 Nm</li> <li>□ <b>PTRD-D</b> Gearbox high-speed PTO, 1 rear + 1 front DIN 5462/ISO 7653 for plug-in pumps, 870 Nm</li> <li>□ <b>PTRD-D1</b> Gearbox high-speed PTO, 1 rear SAE 1410/ISO 7647, 1 front DIN5462/ISO7653, 870 Nm</li> <li>□ <b>PTRD-D2</b> Gearbox PTO, 2 rear hi/lo-speed SAE1310/1410/ISO7647, 1 front hi-speed DIN5462/ISO7653, 870/1000 Nm</li> <li>□ <b>PTRD-F</b> Gearbox high-speed PTO, 1 rear flange connection SAE 1410/ISO 7647 for propshaft, 870 Nm</li> <li>□ <b>HPG-F81</b> Gearbox-mounted hydraulic pump F1-81, fixed displacement, single flow</li> </ul> |
| <b>Powertrain equipment</b> <ul style="list-style-type: none"> <li>□ <b>TRAP-HD</b> Reinforced gearbox range housing</li> <li>■ <b>DRM-BE</b> I-Shift drive modes Economy, Standard and Performance</li> <li>□ <b>DRM-E</b> I-Shift drive mode Economy</li> <li>□ <b>PVT-BAS</b> I-See</li> <li>■ <b>CRUIS-E</b> I-Cruise cruise control, I-Roll included</li> <li>□ <b>CRUIS-E5</b> I-Torque cruise control, optimized for fuel economy, I-Roll included</li> <li>■ <b>AMSO-AUT</b> I-Shift manual gear shifting available in automatic mode, including kick-down function</li> <li>□ <b>AVO-ENH</b> I-Shift with enhanced software for construction and off-road applications</li> <li>□ <b>APF-ENH</b> I-Shift with enhanced PTO functions (Auto neutral for p. brake/Reverse inhibit/Split box connection)</li> <li>□ <b>RET-TH</b> Gearbox-mounted, hydrodynamic oil retarder</li> <li>□ <b>TC-HWO</b> Cooler for hydraulic gearboxes - water/oil</li> <li>□ <b>TC-MAOH2</b> Extra high performance cooler for manual/I-shift gearboxes - air/oil</li> <li>□ <b>TC-MWO</b> Basic performance cooler for manual/I-Shift gearboxes - water/oil</li> <li>■ <b>TC-MWOH2</b> High performance cooler for manual/I-Shift gearboxes - water/oil</li> <li>□ <b>2COM1080</b> Dual-cylinder air compressor 704 cc, 1080 l/min</li> <li>□ <b>2COM1100</b> Dual-cylinder air compressor 760 cc, 1100 l/min</li> <li>■ <b>2COMP870</b> Dual-cylinder, two-stage air compressor 560 cc, 870 l/min</li> <li>□ <b>2COMP900</b> Dual-cylinder air compressor 636 cc, 900 l/min</li> <li>□ <b>CLU-AIRC</b> Air compressor clutch with automatic declutching when not needed, to save fuel</li> <li>■ <b>AIRIN-HI</b> High air inlet</li> <li>□ <b>AIRIN-LO</b> Low air inlet</li> <li>□ <b>ACL1ST-S</b> Air cleaner with extra filter element</li> <li>□ <b>24A110BL</b> Alternator 110 Ampere</li> <li>■ <b>24A150BL</b> Alternator 150 Ampere</li> <li>□ <b>24A180BL</b> Alternator 180 Ampere</li> <li>□ <b>24AL110B</b> Alternator 110 Ampere</li> <li>□ <b>24AL150B</b> Alternator 150 Ampere</li> <li>■ <b>CCV-C</b> Closed crankcase ventilation</li> <li>□ <b>CCV-O</b> Open crankcase ventilation</li> <li>□ <b>PRIM-EL</b> Electrical priming pump for removal of air in the fuel system</li> <li>■ <b>PRIM-MAN</b> Manual priming pump for removal of air in the fuel system</li> <li>□ <b>FUEQ-EH</b> Fuel line electric heater</li> </ul> | <b>Cab Interior, Driving</b> <ul style="list-style-type: none"> <li>■ <b>STWPOS-L</b> Left-hand drive</li> <li>□ <b>STWM-LE</b> Steering wheel material leather</li> <li>□ <b>STGW-AD2</b> Manually adjustable steering wheel with neck tilt</li> <li>■ <b>STGW-ADJ</b> Manually adjustable steering wheel</li> <li>□ <b>AIRBAG</b> Airbag on driver's side</li> <li>■ <b>DRC-AMII</b> Regeneration control for DPF, initiation: automatic or manual, inhibition: manual</li> <li>□ <b>DRC-AUTO</b> Regeneration control for DPF, fully automatic (in motion)</li> <li>□ <b>1DAYB</b> One-day analogue tachograph, basic</li> <li>■ <b>TAC-PK2</b> Preparation kit for tachograph</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

■ Standard Equipment      □ Optional Equipment

For more detailed information about cab and powertrain equipment, please refer to separate specification sheets.

For all possible options and combinations of options please consult your Volvo sales contact who can create a specification to match your requirements using the Volvo Sales Support system (VSS).

The factory reserves the right to modify design and change equipment without previous notification.  
The specification can vary from country to country.



# MODEL RANGE

## FMX D13 6x4 Rigid Diesel Rear Leaf FMX 64R 3L

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>ARSL</b> Additional road speed limiter control (switch in dashboard)</li> <li> <ul style="list-style-type: none"> <li>■ <b>ACCLF-D</b> Volvo torque assist - Disabled</li> <li><input type="checkbox"/> <b>ACCLF-E</b> Volvo torque assist - Enabled</li> </ul> </li> <li>■ <b>ESP-BAS1</b> ESP for tractor combinations with ABS/EBS or rigid vehicles/combinations with std center of gravity</li> <li><input type="checkbox"/> <b>ESPC-RO</b> Electronic stability program functionality control, switch - On/Reduced/Off</li> <li><input type="checkbox"/> <b>HWSS-ACB</b> Adaptive cruise control with forward collision warning (stationary and moving objects) and emergency braking. Using both radar and camera to collect info.</li> <li><input type="checkbox"/> <b>HWSS-FCB</b> Collision Warning with Emergency Brake (forward)</li> <li><input type="checkbox"/> <b>LSS-DW</b> Lane Keeping Support - lane departure warning</li> <li><input type="checkbox"/> <b>LSS-DW3</b> Pilot Assist - active, continuous lane keeping</li> <li><input type="checkbox"/> <b>LCS2</b> Side Collision Avoidance Support, passenger side collision warning (sound and visual information), passenger side</li> <li>■ <b>LCS4</b> Side Collision Avoidance Support, side collision warning, both sides</li> <li>■ <b>DAS-W</b> Driver Alert Support</li> <li><input type="checkbox"/> <b>RSSENS-W</b> Wipers rain sensor</li> <li>■ <b>CU-ECC</b> Automatic climate control with sun sensor</li> <li><input type="checkbox"/> <b>CU-ECC2</b> Automatic climate control with sun sensor, humidity sensor, air quality sensor and carbon filter</li> <li><input type="checkbox"/> <b>CU-MCC</b> Manual climate control (heater/cooler function)</li> <li>■ <b>IGT-BUT</b> Push button ignition</li> <li>■ <b>IMMOBIL</b> Immobiliser</li> <li><input type="checkbox"/> <b>ALARM-E</b> Anti-theft alarm for cab, superstructure and trailer</li> <li><input type="checkbox"/> <b>PHONE-PK</b></li> <li><input type="checkbox"/> <b>ISUNS-BS</b> Side interior roller blind on both sides, manually manoeuvred</li> <li>■ <b>ISUNS-DS</b> Side interior roller blind on driver's side, manually manoeuvred</li> <li><input type="checkbox"/> <b>ISUNF-RE</b> Interior roller blind, integrated in front shelf, electrically manoeuvred</li> <li>■ <b>ISUNF-RM</b> Interior roller blind, integrated in front shelf, manually manoeuvred</li> <li><input type="checkbox"/> <b>ADFS</b> Two extra DIN slots in front shelf, 165x40x180 mm (W x H x D)</li> <li>■ <b>BUPALARM</b> Reversing warning</li> <li><input type="checkbox"/> <b>REMC-MF</b> Wireless remote control, multi-functional</li> <li>■ <b>FIREXT3S</b> Fire extinguisher 3 kg, Swedish/English decal</li> <li><input type="checkbox"/> <b>WARNVEST</b> Reflective vest, fulfils European standard EN 471 class 2</li> <li>■ <b>WARNTRI2</b> Two warning triangles</li> <li>■ <b>AIDKIT</b> First aid kit containing sticking plaster, washing and drying pads, compresses, elastic bandages, respiratory mask, gloves and scissors.</li> <li>■ <b>WRITEPAD</b> Writing pad with paper clamp</li> </ul> | <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>ARMRE-DB</b> Two armrests on driver's seat</li> <li><input type="checkbox"/> <b>ARMRE-PB</b> Two armrests on passenger seat</li> <li><input type="checkbox"/> <b>ARU-BAS</b> Vinyl armrest upholstery</li> <li><input type="checkbox"/> <b>ARU-LEA</b> Leather armrest upholstery</li> <li>■ <b>FMAT-RUB</b> Black rubber floor mats</li> <li><input type="checkbox"/> <b>FMAT-TX2</b> Two textile (dark grey on FH/FM/FMX, black on FH16) and two black rubber floor mats</li> <li>■ <b>LBK70</b> Lower fixed bed 2000x700 mm, non-foldable, safety net included</li> <li>■ <b>MATL-FI</b> Mattress lower bed firm, pocket springs, recommended for body weight over 100 kg</li> <li><input type="checkbox"/> <b>MATL-SF</b> Mattress lower bed semi-firm, pocket springs, recommended for body weight up to 100 kg</li> <li><input type="checkbox"/> <b>OLMAT-BA</b> Overlay mattress, 28 mm thick black textile</li> <li><input type="checkbox"/> <b>OLMAT-PR</b> Overlay mattress Premium, 35 mm thick black textile</li> <li><input type="checkbox"/> <b>TBK60F</b> Fixed top bed 600x1900 mm, foldable up to 52° (depending on cab &amp; upper storage), net included</li> <li><input type="checkbox"/> <b>TBK70F</b> Fixed top bed 700x1900 mm, foldable up to 52° (depending on cab &amp; upper storage), net included</li> <li><input type="checkbox"/> <b>PH-CAB2</b> Cab parking heater, 2 kW</li> <li><input type="checkbox"/> <b>PH-ENGCA</b> Engine and cab parking heater</li> <li><input type="checkbox"/> <b>PH-SS</b> Short stop cab heater</li> <li><input type="checkbox"/> <b>SLCP-BAS</b> Basic sleeper control panel (interior light, parking heater, roof hatch, door locks)</li> <li><input type="checkbox"/> <b>ETSB-FRS</b> Storage at front of engine tunnel and immersed in RH side of tunnel</li> <li><input type="checkbox"/> <b>ETSB-FS</b> Storage at back of engine tunnel, at back against rear cab wall and immersed in RH side of tunnel</li> <li><input type="checkbox"/> <b>ETSB-S</b> Storage immersed in RH side of engine tunnel</li> <li><input type="checkbox"/> <b>RUS-BAS</b> Storage in rear upper cab, 154 litres (300 mm high)</li> <li><input type="checkbox"/> <b>RUS-HIG</b> Storage in rear upper cab, 245 litres (440 mm high)</li> <li><input type="checkbox"/> <b>REF-ICPK</b> Preparation kit for refrigerator</li> <li><input type="checkbox"/> <b>REFR-RUS</b> Refrigerator 28-litre, with dividers, on rear upper wall</li> <li><input type="checkbox"/> <b>MICRO-PK</b> Preparation kit for microwave oven (electrical cables to front shelf)</li> <li>■ <b>BOTH-D</b> One bottle holder under dashboard centre section</li> <li><input type="checkbox"/> <b>COFMA-PK</b> Preparation kit (24 V) for coffee maker</li> <li>■ <b>INLI-BAS</b> Interior white light with smooth light transition at on/off, no dimming</li> <li><input type="checkbox"/> <b>INLI-NL</b> Interior white and red (night) light with smooth light transition at on/off</li> <li><input type="checkbox"/> <b>INLI-NLD</b> Interior white and red (night) light with smooth light transition at on/off and dimmer</li> <li><input type="checkbox"/> <b>ARL-FLEX</b> Two (driver and passenger side) LED reading lamps with flexible arms, mounted on sidewalls</li> <li><input type="checkbox"/> <b>RH-EE</b> Roof skylight/emergency exit, tinted glass (not a hatch)</li> <li><input type="checkbox"/> <b>RH-ER</b> Roof hatch, electrically operated, steel, with emergency exit handle</li> <li><input type="checkbox"/> <b>RH-ETR</b> Roof hatch, electrically operated, tinted glass, rear opening 50 mm</li> <li>■ <b>RH-MTR</b> Roof hatch, manually operated, tinted glass, rear opening 50 mm</li> <li>■ <b>GLAS-TIN</b> Tinted windows</li> <li><input type="checkbox"/> <b>SWIND-BS</b> Rear side window on both sides</li> <li><input type="checkbox"/> <b>SWIND-PS</b> Rear side window on passenger side</li> <li><input type="checkbox"/> <b>AWIND-RF</b> Fixed window in back of cab (without curtains)</li> <li><input type="checkbox"/> <b>VANMIR</b> Vanity mirror in front shelf lid</li> <li><input type="checkbox"/> <b>AS-FUS</b> One extra shelf in each of the two front upper storage compartments</li> <li><input type="checkbox"/> <b>INFOT-PK</b> Preparation kit (bracket, security straps, and antenna cable) for mounting of TV above driver door</li> </ul> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

■ Standard Equipment

☐ Optional Equipment

For more detailed information about cab and powertrain equipment, please refer to separate specification sheets.

For all possible options and combinations of options please consult your Volvo sales contact who can create a specification to match your requirements using the Volvo Sales Support system (VSS).

The factory reserves the right to modify design and change equipment without previous notification. The specification can vary from country to country.

# MODEL RANGE

## FMX D13 6x4 Rigid Diesel Rear Leaf FMX 64R 3L

### Cab exterior

- **EXTL-BAS** Exterior trim level basic
- **DGLAS-H** Tempered door window glass
- **DGLAS-L** Laminated window glass in doors. The glass can crack, but retains its protective effect. It also provides better sound insulation.
- **BUMP-HD** Heavy-duty front bumper
- **AUXFS** Extra footstep in cab side
- **GUARD-EH** Guard plate for cooling pipes and oil sump
- **SIDEH-B** Guide rail on day cab, driver's side
- **SIDSTP-R** Side ladder and guide rail on day cab, driver's side
- **BUGNET** Insect screen (PVC-coated fibreglass) in front of radiator
- **CTILT-P-E** Electric cab tilt pump
- **CTILT-P-M** Manual cab tilt pump
- **FCABS-A** Air front cab suspension
- **FCABS-M** Mechanical front cab suspension
- **RCABS-A** Air rear cab suspension
- **RCABS-M** Mechanical rear cab suspension
- **MIRCFCPX** Rear-view and wide-angle mirrors (both sides), passenger corner camera (FMX)
- **MIRCMCP** Camera Monitor System and passenger corner camera
- **MIRCMS** Camera Monitor System
- **MIRCOMFX** Robust rear-view and wide-angle mirrors (both sides), kerb observation mirror
- **AMIR-F20** Front close-view mirror above windscreen, passenger side (radius 200 mm)
- **SUNV-H** Exterior front sun visor, transparent dark-grey
- **AD-ROOF** Roof air deflector
- **AD-SIDES** Cab side air deflectors, short
- **HL-BASIC** Halogen H7 headlamps
- **HL-LED** LED headlamps
- **HL-LED3** LED headlamps with adaptive high beam
- **HBDA-A** Automatic main beam deactivation and reactivation
- **HL-CLEAN** High-pressure headlamp cleaner
- **HLP-ST** Steel headlamp protectors (steel and plastic for FMX)
- **HLP-ST2** Steel and plastic headlamp protectors with steel grating for extra rough applications
- **HL-ADJ** Manually adjustable headlamp beam
- **DRL-LED** Daytime running lamps (LED)
- **UDRL** Without daytime running lamps (LED)
- **UDRIVL** Without extra main beam
- **ASL-RF2** Two LED spot lamps in sign box
- **IDLAMP-A** Three amber identification lamps on mid front roof
- **IDLAMP-W** Three white identification lamps on mid front roof
- **IDLMPSW** Switch in cab for identification lamps
- **BEACOA2F** Two amber LED beacons on cab front roof
- **BEACOA2R** Two amber LED beacons on cab rear roof
- **BEACON-P** Preparation kit for roof beacons
- **BEACONA4** Four amber LED beacons on roof - two on front, two on rear
- **CABPT-R1** One front cab roof pass-through on passenger side
- **CABPT-R2** Two front cab roof pass-throughs, one on each side
- **SPOTP-F** Preparation kit for spot lamp in cab front, max 280 W
- **SPOTP-R** Preparation kit for spot lamp in cab roof, max 280 W
- **SPOTP-RF** Preparation kit for spot lamp in cab roof and front, max 280 W
- **ROS-IL2** Preparation kit for installation of roof sign illumination
- **CSGN-FMX** FMX decal in the roof sign box

- **HORN-F1S** Single-tone Jericho horn behind grille, operated by steering wheel buttons
- **ANT-CBR** Preparation kit for communication/CB radio: roof-mounted single antenna and wiring
- **ACCBP-AP** Accessory brackets mounted on front roof, midroof and rear roof
- **ACCBP-F** Accessory bracket mounted on front roof
- **ACCBP-FM** Accessory brackets mounted on front roof and midroof
- **ACCBP-FR** Accessory brackets mounted on front and rear roof
- **ACCBP-M** Accessory bracket mounted on midroof
- **ACCBP-R** Accessory brackets mounted on mid-roof and rear roof
- **ACCBP-RM** Accessory bracket mounted on rear roof

### Superstructure preparations

- **SRWL-PK** Preparation kit for LED reverse/work lamps at rear chassis, 3-pos switch (On/Off/Reverse auto On)
- **SWL-2FW** 2 white LED work lamps at front of chassis, and a 2-position switch (On/Off)
- **SWL-2RW** 2 white LED work lamps, rearward-facing on rear chassis (LH/RH side)
- **SWL-4W** 4 white LED work lamps on chassis (2 front, 2 rear) and a flexible switch (On/Off)
- **SWL-PK** Preparation kit for LED work lamps on chassis, with a 2-pos switch (On/Off)
- **WL-CHPK** Preparation kit for work lamp (switch with cable to frame, by gearbox)
- **WLC-H2A**
- **WLC-H2W** 2 white LED work lamps, high-mounted on back of cab (switch included)
- **WLC-PKCH** Preparation kit (cables and switch) for work lamp inside or outside superstructure
- **WLC-PKH** Preparation kit (cables and switch) for high-mounted work lamps on back of cab
- **WLC-PKL** Preparation kit (cables and switch) for low-mounted work lamps on back of cab
- **WLC-PKLH** Preparation kit (cables and switch) for low- and high-mounted work lamps on back of cab
- **ECBB-BAS** Body builder electrical centre, prepared for body builder module
- **ECBB-HIG** Body builder electrical centre, body builder module with 14 high and 4 low digital outlets
- **ECBB-MED** Body builder electrical centre, body builder module with 7 high and 4 low digital outlets
- **BBCHAS1** One 7-pole bodywork connector on chassis
- **BBCHAS3** Three 7-pole bodywork connectors on chassis
- **BEPR-T2** Bodywork electrical and software preparation for tipper with remote control
- **EXSTER** Support for external steering control via body builder module
- **TD-LED** TD-LED detects trailers that have either bulb lights or LED lights. Continuous monitoring of the trailer connection status allows optimization of gear shifting and systems like Electronic Stability Program (ESP). Full diagnostics are available for bulb lights, while for LED lights the system cannot identify an "open circuit".
- **FRFS-BS** Frame rail free space on both sides to give space for crane legs or other equipment
- **FBA-BTF** Front body attachment brackets, lower, for flexible body
- **FBA-BTSF** Front body attachment brackets, lower, for semi-flexible body
- **HBA-FSFB** Holes for body attachments, flexible/semi-flexible body
- **HBA-SB** Holes for body attachments, stiff body
- **RBA-T2** Rear body attachment brackets, lower
- **CRANEPK1** Frame-mounted crane interface plates, up to 10 tonne-metres
- **CRANEPK2** Frame-mounted crane interface plates, up to 20 tonne-metres
- **CRANEPK4** Frame-mounted crane interface plates, up to 40 tonne-metres
- **AUXL-SPK** Preparation kit (wiring and a switch in dashboard) for snow plough lamps
- **TAILPRE2** Tail lift preparation kit, wireless remote operation

■ Standard Equipment

□ Optional Equipment

For more detailed information about cab and powertrain equipment, please refer to separate specification sheets.

For all possible options and combinations of options please consult your Volvo sales contact who can create a specification to match your requirements using the Volvo Sales Support system (VSS).

The factory reserves the right to modify design and change equipment without previous notification. The specification can vary from country to country.

# MODEL RANGE

FMX D13 6x4 Rigid Diesel Rear Leaf FMX 64R 3L

- **TAILPREP** Tail lift preparation kit
- **AESW2** 2 bistable bodywork switches (marked AUX1/AUX2)
- **AESW2PK** 2 bistable bodywork switches (marked AUX1/AUX2) + prepared for 4 bistable switches (dummy switches)
- **AUXSW-4** Hardwiring for 4 extra switches (from body builder electrical centre to instrument panel)

## Services

- **TGW-4GWL** Telematics gateway with 4G modem and WLAN
- **TGW-PK** Telematics gateway preparation kit
- **DRUT1** My Truck service/app (remote vehicle status, alerts and control), 1-year prepaid subscription
- **DRUT2** My Truck service/app (remote vehicle status, alerts and control), 2-year prepaid subscription
- **DRUT3** My Truck service/app (remote vehicle status, alerts and control), 3-year prepaid subscription
- **DRUT4** My Truck service/app (remote vehicle status, alerts and control), 4-year prepaid subscription
- **DRUT5** My Truck service/app (remote vehicle status, alerts and control), 5-year prepaid subscription
- **TSRS2** Road sign recognition (not ISA compliant)

Volvo Trucks. Driving Progress